

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	25727	peptide same amphipathic same cationic sam alpha-helix	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/19 08:33			0
2	BRS	L2	98337	antimicrobial or antifungal or antiviral or parasite	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/19 08:33			0
3	BRS	L3	63	((peptide same amphipathic same cationic sam alpha-helix) same (antimicrobial or antifungal or antiviral or parasite)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/19 08:34			0
4	BRS	L4	12	((peptide same amphipathic same cationic sam alpha-helix) same (antimicrobial or antifungal or antiviral or parasite)) same antibiotic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/19 08:34			0
5	BRS	L5	0	((peptide same amphipathic same cationic sam alpha-helix) same (bacterium or fungus or virus or parasite)) same (multiple adj drug adj resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/19 08:34			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
6	BRS	L6	2	((peptide same amphipathic same cationic sam alpha-helix) same (bacterium or fungus or virus or parasite)) same (gram adj positive adj bacterium)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/1 9 08:35			0
7	BRS	L7	7	((peptide same amphipathic same cationic sam alpha-helix) same (bacterium or fungus or virus or parasite)) same (gram adj negative adj bacterium)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/1 9 08:35			0
8	BRS	L8	15	((peptide same amphipathic same cationic sam alpha-helix) same (antimicrobial or antifungal or antiviral or (parasite adj infection)) or (peptide same amphipathic same cationic sam alpha-helix) same (bacterium or fungus or virus or parasite))) same antibiotic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/1 9 08:35			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
9	BRS	L9	504658	penicillin, or cephalosporin or beta-lactam or amino glycoside or quinolone or tetracycline or macrolide or glycopeptide or (lipopeptide or (ribosome adj inhibitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/19 08:36			0
10	BRS	L10	97	((peptide same amphipathic same cationic sam alpha-helix) same (antimicrobial or antifungal or antiviral or (parasite adj infection)) or ((peptide same amphipathic same cationic sam alpha-helix) same (bacterium or fungus or virus or parasite))) same (penicillin, or cephalosporin or beta-lactam or amino glycoside or quinolone or tetracycline or macrolide or glycopeptide or (lipopeptide or (ribosome adj inhibitor))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/19 08:36			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BRS	L11	2	(peptide same amphipathic same cationic sam alpha-helix) same parasite same malaria or trypanosomiosis	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/1 9 08:37			0

> d his

(FILE 'HOME' ENTERED AT 08:40:58 ON 19 SEP 2002)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA'
ENTERED AT

08:41:28 ON 19 SEP 2002

L1 82 S PEPTIDE (P) AMPHIPATHIC (P) CATIONIC (P) ALPHA-HELIX

L2 757556 S ANTIMICROBIAL OR ANTIFUNGAL OR ANTIVIRAL OR
PARASITE

L3 54 S L1 (P) L2

L4 744735 S ANTIBIOTIC

L5 5 S L3 (P) L4

L6 2 DUPLICATE REMOVE L5 (3 DUPLICATES REMOVED)

L7 402381 S PENICILLIN OR CEPHALOSPORIN OR BETA-LACTAM OR
(AMINO GLYCOSID

L8 82822 S MACROLIDE OR GLYCOPEPTIDE OR LIPOPEPTIDE OR
(RIBOSOME INHIBIT

L9 472210 S L7 OR L8

L10 0 S L3 (P) L9

=> log y

FILE 'HOME' ENTERED AT 08:40:58 ON 19 SEP 2002

=> file medline caplus biosis embase scisearch agricola	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'MEDLINE' ENTERED AT 08:41:28 ON 19 SEP 2002

FILE 'CAPLUS' ENTERED AT 08:41:28 ON 19 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 08:41:28 ON 19 SEP 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'EMBASE' ENTERED AT 08:41:28 ON 19 SEP 2002
COPYRIGHT (C) 2002 Elsevier Science B.V. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 08:41:28 ON 19 SEP 2002
COPYRIGHT (C) 2002 Institute for Scientific Information (ISI) (R)

FILE 'AGRICOLA' ENTERED AT 08:41:28 ON 19 SEP 2002

=> s peptide (p) amphipathic (p) cationic (p) alpha-helix
L1 82 PEPTIDE (P) AMPHIPATHIC (P) CATIONIC (P) ALPHA-HELIX

=> s antimicrobial or antifungal or antiviral or parasite
L2 757556 ANTIMICROBIAL OR ANTIFUNGAL OR ANTIVIRAL OR PARASITE

=> s l1 (p) l2
L3 54 L1 (P) L2

=> s antibiotic
L4 744735 ANTIBIOTIC

=> s l3 (p) l4
L5 5 L3 (P) L4

=> duplicate remove l5
DUPLICATE PREFERENCE IS 'MEDLINE, CAPLUS, BIOSIS, EMBASE'
KEEP DUPLICATES FROM MORE THAN ONE FILE? Y/(N):n
PROCESSING COMPLETED FOR L5
L6 2 DUPLICATE REMOVE L5 (3 DUPLICATES REMOVED)

=> d l6 1-2 ibib abs

L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:519479 CAPLUS
DOCUMENT NUMBER: 136:165482
TITLE: Antimicrobial peptides - structure and function
AUTHOR(S): Mickowska, Barbara
CORPORATE SOURCE: Zakl. Biochem. Anal., Inst. Biol. Molekularnej im.
Jana Zurzyckiego, Uniw. Jagiellonski, Krakow, 31-120,
Pol.
SOURCE: Postepy Biologii Komorki (2001), 28(Supl. 16), 245-259
CODEN: PBKODV; ISSN: 0324-833X
PUBLISHER: Fundacja Biologii Komorki i Biologii Molekularnej
DOCUMENT TYPE: Journal; General Review
LANGUAGE: Polish

AB A review. ***Antimicrobial*** ***peptides*** are part of the
defense system mainly in plants and animals. In spite of great diversity
of origin and amino acid compn., almost all of them are ***cationic***
(due to presence excess Arg and Lys residues) and the mols. form
amphipathic structures. ***Antimicrobial*** ***peptides***
can be divided into several main groups based on their 3-dimensional
structure: 1. Linear, forming . ***alpha*** .- ***helixes*** ; 2.
Antiparallel .beta.-sheets stabilized by intramol. disulfide bonds; 3.

.alpha.-Helical and .beta.-sheet mixed structure with disulfide bonds; 4. Cyclic structures; and 5. Linear, with unusually high content of certain amino acid, often forming extended helixes. ***Antimicrobial*** activity of these ***peptides*** is very broad, including bacteria, fungi, some protozoa, and even cancer cells. They are selectively toxic to microorganisms. Owing to the increasing resistance of bacteria to conventional ***antibiotics***, ***antimicrobial*** ***peptides*** seem to be a promising source of ***antibiotics*** in future.

L6 ANSWER 2 OF 2 MEDLINE DUPLICATE 1
 ACCESSION NUMBER: 92078177 MEDLINE
 DOCUMENT NUMBER: 92078177 PubMed ID: 1744108
 TITLE: Bombinin-like peptides with antimicrobial activity from skin secretions of the Asian toad, Bombina orientalis.
 AUTHOR: Gibson B W; Tang D Z; Mandrell R; Kelly M; Spindel E R
 CORPORATE SOURCE: Department of Pharmaceutical Chemistry, University of California, San Francisco 94143-0446.
 CONTRACT NUMBER: CA39237 (NCI)
 RR01614 (NCRR)
 SOURCE: JOURNAL OF BIOLOGICAL CHEMISTRY, (1991 Dec 5) 266 (34) 23103-11.
 Journal code: 2985121R. ISSN: 0021-9258.
 PUB. COUNTRY: United States
 DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
 LANGUAGE: English
 FILE SEGMENT: Priority Journals
 OTHER SOURCE: GENBANK-M55199; GENBANK-M55200; GENBANK-M55201; GENBANK-M76483; GENBANK-M76484; GENBANK-M96682; GENBANK-S66610; GENBANK-S66768; GENBANK-S68993; GENBANK-S70582
 ENTRY MONTH: 199201
 ENTRY DATE: Entered STN: 19920202
 Last Updated on STN: 19920202
 Entered Medline: 19920113

AB The structures and hemolytic and bactericidal activities of three bombinin-like ***peptides***, or BLP-1-3, from the skin of Bombina orientalis are described. The ***peptides*** were isolated from the skin of B. orientalis and sequenced by tandem mass spectrometry and are ***amphipathic***, ***cationic*** ***peptides*** of 25-27 amino acids in length. The sequence of the most abundant member (BLP-1) is: Gly-Ile-Gly-Ala-Ser-Ile-Leu-Ser-Ala-Gly-Lys-Ser-Ala-Leu-Lys-Gly-Leu-Ala-Lys-Gly-Leu-Ala-Glu-His-Phe-Ala-Asn-NH2. All three ***peptides*** were found to share considerable, but not complete, homology with bombinin, an ***antimicrobial***, hemolytic ***peptide*** first isolated by Michl and Csordas (Csordas, A., and Michl, A. (1970) Monatsh. Chem. 101, 182-189) from the skin of Bombina variegata. The BLPs have been assayed for ***antibiotic*** and hemolytic activity and found to be more potent than magainin 2 (a related ***antimicrobial*** ***peptide*** from Xenopus laevis) in their ability to kill bacteria. However, no significant hemolytic activity was found for these ***peptides*** which suggests a selectivity for prokaryotic over eukaryotic membranes. The molecular basis for antibacterial activity is presumed to be due to their predicted ***amphipathic*** alpha-helical structures which is supported by circular dichroism measurements that found significant helical content (63-69% ***alpha*** - ***helix***) in 40% trifluoroethanol. Last, a cDNA library was constructed from the skin of B. orientalis and screened with an oligonucleotide probe complementary to the COOH terminus of BLP-1. Several clones were isolated and sequenced that encode BLP-1 and BLP-3, as well as an additional ***peptide*** (BLP-4) that differs by two amino acid substitutions from BLP-3.

=> d his

(FILE 'HOME' ENTERED AT 08:40:58 ON 19 SEP 2002)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT 08:41:28 ON 19 SEP 2002

L1 82 S PEPTIDE (P) AMPHIPATHIC (P) CATIONIC (P) ALPHA-HELIX
 L2 757556 S ANTIMICROBIAL OR ANTIFUNGAL OR ANTIVIRAL OR PARASITE

L3 54 S L1 (P) L2
L4 744735 S ANTIBIOTIC
L5 5 S L3 (P) L4
L6 2 DUPLICATE REMOVE L5 (3 DUPLICATES REMOVED)

=> s penicillin or cephalosporin or beta-lactam or (amino glycoside) or quinolone or tetracycline
L7 402381 PENICILLIN OR CEPHALOSPORIN OR BETA-LACTAM OR (AMINO GLYCOSIDE)
OR QUINOLONE OR TETRACYCLINE

=> s macrolide or glycopeptide or lipopeptide or (ribosome inhibitor)
L8 82822 MACROLIDE OR GLYCOPEPTIDE OR LIPOPEPTIDE OR (RIBOSOME INHIBITOR)

=> s l7 or l8
L9 472210 L7 OR L8

=> s l3 (p) l9
L10 0 L3 (P) L9

=> d his

(FILE 'HOME' ENTERED AT 08:40:58 ON 19 SEP 2002)

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE, SCISEARCH, AGRICOLA' ENTERED AT
08:41:28 ON 19 SEP 2002

L1 82 S PEPTIDE (P) AMPHIPATHIC (P) CATIONIC (P) ALPHA-HELIX
L2 757556 S ANTIMICROBIAL OR ANTIFUNGAL OR ANTIVIRAL OR PARASITE
L3 54 S L1 (P) L2
L4 744735 S ANTIBIOTIC
L5 5 S L3 (P) L4
L6 2 DUPLICATE REMOVE L5 (3 DUPLICATES REMOVED)
L7 402381 S PENICILLIN OR CEPHALOSPORIN OR BETA-LACTAM OR (AMINO GLYCOSID
L8 82822 S MACROLIDE OR GLYCOPEPTIDE OR LIPOPEPTIDE OR (RIBOSOME INHIBIT
L9 472210 S L7 OR L8
L10 0 S L3 (P) L9

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
50.74	50.95

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-0.62	-0.62

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 08:49:45 ON 19 SEP 2002